Contents

Number 1, January 1990

Papers

1 Amiloride disposition in geriatric patients: importance of renal function: *A. Somogyi, D. Hewson, M. Muirhead & F. Bochner*

9 Tianeptine binding to human plasma proteins and plasma from patients with hepatic cirrhosis or renal failure: *R. Zini, D. Morin, C. Salvadori & J. P. Tillement*

19 Haemodynamic and pharmacokinetic study of intravenous fenoldopam in patients with hepatic cirrhosis: *P. Vlavianos, R. J. Polson, A. Settin, J. Glover, D. Westaby & R. Williams*

27 Moclobemide excretion in human breast milk: *G. Pons, M. P. Schoerlin, Y. K. Tam, C. Moran, J. P. Pfefen, Ch. Francoual, A. M. Pedarriosse, J. Chavinie & G. Olive*

33 Single dose pharmacokinetics and pharmacodynamics of oral oxazepam during concomitant administration of propranolol and labetalol: *J. Sonne, M. Døssing, S. Loft, K. L. Oleson, A. Vollmer-Larsen, M. A. Victor, O. Hamberg & H. Thyssen*

39 Plasma concentration profiles and antihypertensive effect of conventional and extended-release felodipine tablets: *E. Blychert, K. Wingstrand, B. Edgar & K. Lidman*

47 The influence of levodopa on gastric emptying in man: *D. R. C. Robertson, A. G. Renwick, N. D. Wood, N. Cross, B. S. Macklin, J. S. Fleming, D. G. Waller & C. F. George*

55 Effect of increasing oral doses of loperamide on gallbladder motility in man: *W. P. M. Hopman, G. Rosenbusch, J. B. M. J. Jansen & C. B. H. W. Lamers*

61 Effect of temazepam on blood pressure regulation in healthy elderly subjects: *G. A. Ford, B. B. Hoffman & T. F. Blaschke*

69 The effects of propranolol or atenolol on the cardiovascular responses to central hypovolaemia in Europeans and Bengalees: *M. A. Rahman & T. Bennett*

79 The effect of 2 weeks treatment with cetirizine on bronchial reactivity to methacholine in asthma: *J. P. Finnerty, S. T. Holgate & J-P. Rihoux*

85 Effects of a PAF-antagonist (BN 52063) on bronchoconstriction and platelet activation during exercise induced asthma: *J. H. Wilkens, H. Wilkens, J. Uffman, J. Bövers, H. Fabel & J. C. Frölich*

93 Ouabain inhibition of the sodium-potassium pump: estimation of ED_{50} in different types of human leucocytes *in vitro*: *B. Møller, A. Vaag, & T. Johansen*

101 Debrisoquine oxidation phenotype and susceptibility to lung cancer: *C. J. Speirs, S. Murray, D. S. Davies, A. F. Biola Mabadeje & A. R. Boobis*

Short reports

111 Correlations among the metabolic ratios of three test probes (metoprolol, debrisoquine and sparteine) for genetically determined oxidation polymorphism in a Japanese population: *Y. Horai, J. Taga, T. Ishizaki & K. Ishikawa*

116 The effects of phenytoin and carbamazepine on serum concentrations of mono-unsaturated metabolites of valproic acid: *T. Kondo, K. Otani, T. Hirano, S. Kaneko & Y. Fukushima*

120 Effects of aspirin upon the flushing reaction induced by niceritrol: *R. H. Jay, A. C. Dickson & D. J. Betteridge*

123 Excretion of diazepam and its metabolites in human milk during withdrawal from high dose diazepam and oxazepam: *L. J. Dusci, S. M. Good, R. W. Hall & K. F. Ilett*

127 Biliary elimination of non-steroidal anti-inflammatory drugs in patients: *H. Thomas Schneider, B. Nuernberg, K. Dietzel & K. Brune*

Letter to the Editors

133 Therapeutic drug monitoring—an hypothesis still in need of testing: *G. T. McInnes*

135 Proceedings of the British Pharmacological Society (University of Manchester, 13–16 September 1989)

Number 2, February 1990

Review

157 Nuclear magnetic resonance in clinical pharmacology and measurement of therapeutic response: *W. H. Aellig*

Papers

169 Respiratory and sedative effects of clobazam and clonazepam in volunteers: *J. D. Wildin, B. J. Pleuvry, G. E. Mawer, T. Onon & L. Millington*

179 Parkinsonian abnormality in foot strike: a phenomenon of ageing and/or one responsive to levodopa therapy?: *J. R. Hughes, S. G. Bowes, A. L. Leeman, C. J. A. O'Neill, A. A. Deshmukh, P. W. Nicholson, S. M. Dobbs & R. J. Dobbs*

187 The measurement of haloperidol and reduced haloperidol in hair as an index of dosage history: *H. Matsuno, T. Uematsu & M. Nakashima*

195 The effect of indomethacin on the kinetics of histamine, 48/80 and antigen wealing: *F. Humphreys & S. Shuster*
201 The effect of age on serum concentrations of albumin and α_1-acid glycoprotein: *B. Th. Veering, A. G. L. Burm, J. H. M. Souverijn, J. M. P. Serree & Joh. Spierdijk*
207 ^{99m}Tc-neoglycoalbumin (NGA)-binding to human hepatic binding protein (HBP) *in vitro*: *I. Virgolini, P. Angelberger, Ch. Müller, J. O'Grady & H. Sinzinger*
215 Diuretic effect and diuretic efficiency after intravenous dosage of frusemide: *G. Alván, L. Helleday, A. Lindholm, E. Sanz & T. Villén*
221 An assessment of the effects of impaired renal function and haemodialysis on the pharmacokinetics of fluconazole: *S. Toon, C. E. Ross, R. Gokal & M. Rowland*
227 Altered sensitivity to amiloride in cystic fibrosis. Observations using cultured sweat glands: *A. W. Cuthbert, D. J. Brayden, A. Dunne, R. L. Smyth & J. Wallwork*

Short reports
235 A novel method for culturing sweat gland epithelia: comparison of normal and cystic fibrosis tissues: *D. J. Brayden & A. W. Cuthbert*
239 Disposition of pravastatin sodium, a tissue-selective HMG-CoA reductase inhibitor, in healthy subjects: *S. M. Singhvi, H. Y. Pan, R. A. Morrison & D. A. Willard*
244 Evidence for the polymorphic oxidation of debrisoquine in the Thai population: *S. Wanwimolruk, P. Patamasucon & E. J. D. Lee*
248 Quinidine kinetics after a single oral dose in relation to the sparteine oxidation polymorphism in man: *K. Brøsen, F. Davidsen & L. F. Gram*
254 The effect of autonomic blockers on heart rate: a comparison between two ethnic groups: *E. C. Meyer, De K. Sommers, H. S. Schoeman & J. C. Avenant*
257 Cimetidine as modulator of the cell-mediated immune response *in vivo* using the tuberculin skin test as parameter: *J. R. Snyman, E. C. Meyer & H. S. Schoeman*
261 The effect of propranolol on paracetamol metabolism in man: *O. Z. Baraka, C. A. Truman, J. M. Ford & C. J. C. Roberts*
265 Lack of effect of atenolol and nadolol on the metabolism of theophylline: *C. M. Corsi, A. N. Nafziger, J. A. Pieper & J. S. Bertino Jr*
269 Increased volume of distribution prolongs midazolam half-life: *R. J. Wills, K.-C. Khoo, P. P. Soni & I. H. Patel*
273 Safety of vancomycin in acute porphyria: *R. Hift, U. Sohnius & P. N. Meissner*

Letters to the Editors
277 Excretion of sotalol in breast milk: *L. P. Hackett, R. E. Wojnar-Horton, L. J. Dusci, K. F. Ilett & M. J. Roberts*
278 The value of therapeutic drug monitoring: *J. S. Cridland*

Number 3, March 1990

Papers
281 The effects of a single dose of dilevalol on [^{3}H]-noradrenaline plasma kinetics and plasma lipoprotein cholesterol concentrations: *L. G. Howes, P. R. Rowe, H. Krum & W. J. Louis*
289 The metabolism and bioavailability of morphine in patients with severe liver cirrhosis: *J. Hasselström, S. Eriksson, A. Persson, A. Rane, J. O. Svensson & J. Säwe*
299 A dose-effect study of the *in vivo* inhibitory effect of quinidine on sparteine oxidation in man: *M.Due Nielsen, K. Brøsen & L. F. Gram*
305 Effects of acetylsalicylic acid and paracetamol alone and in combination on prostanoid synthesis in man: *H. Bippi & J. C. Frölich*
311 The effects of ibuprofen and indomethacin on renal function in the presence and absence of frusemide in healthy volunteers on a restricted sodium diet: *A. P. Passmore, S. Copeland & G. D. Johnston*
321 Effect of formoterol, a long-lasting β_2-adrenoceptor agonist, against methacholine-induced bronchoconstriction: *A. Nix, G. M. Nichol, A. Robson, P. J. Barnes & K. F. Chung*
325 Acute haemodynamic effects of cromakalim in patients with angina pectoris: *P. Thomas, M. S. Dixon, S. J. Winterton & D. J. Sheridan*
333 Pharmacokinetics of epanolol after acute and chronic oral dosing in elderly patients with stable angina pectoris: *J. Hosie, A. K. Scott, J. C. Petrie & I. D. Cockshott*
339 Development of tolerance to nifedipine in patients with stable angina pectoris: *S. Yu. Martsevich, V. I. Metelitsa, D. O. Rumiantsev, V. K. Piotrovskii, I. D. Slastnikova, L. V. Egorov & V. A. Vygodin*
347 Investigation of intravascular haemolysis during treatment of acute stroke with intravenous glycerol: *C. R. Kumana, G. T. C. Chan, Y. L. Yu, I. J. Lauder, T. K. P. Chan & M. Kou*

Short reports
355 Single doses of ritodrine delay orocaecal transit in patients with irritable bowel syndrome: *G. Basilisco, M. G. Camboni, A. Bozzani, M. Molgora & P. A. Bianchi*
359 An acute study of the electrophysiological and

haemodynamic effects of intravenous UK-52,046, a novel α_1-adrenoceptor antagonist: *E. S. Barin, C. K. Y. Wong, J. E. Elstob, D. W. Davies & A. W. Nathan*

363 The effect of sulindac on dermal responses to bradykinin in normal subjects given an angiotensin converting enzyme inhibitor: *R. E. Ferner, F. Kamali & M. D. Rawlins*

366 Comparative haemodynamic effects of intravenous nisoldipine and hydralazine in congestive heart failure: *B. Haitas, T. E. Meyer, M. E. Angel & E. Reef*

Letters to the Editors

369 The acute toxic effect of the phosphodiesterase inhibitor rolipram on plasma osmolality: *I. Sturgess & G. F. Searle*

370 Lack of effect of spiramycin on cyclosporin pharmacokinetics: *M. Kessler, P. Netter, E. Renoult, P. Trechot, B. Dousset & B. Bannwarth*

Number 4, April 1990

Papers

373 Rapid screening for polymorphisms in dextromethorphan and mephenytoin metabolism: *R. J. Guttendorf, M. Britto, R. A. Blouin, T. S. Foster, W. John, K. A. Pittman & P. J. Wedlund*

381 The effect of multiple dosage on the kinetics of glucuronidation and sulphation of diflunisal in man: *R. K. Verbeeck, G. R. Loewen, J. I. Macdonald & R. J. Herman*

391 Plasma and urine aluminium concentrations in healthy subjects after administration of sucralfate: *P. Allain, Y. Mauras, N. Krari, J. Duchier, A. Cournot & J. Larcheveque*

397 The pharmacokinetics of oral indoramin during pregnancy: *I. Schabort, H. J. Odendaal & D. M. Pierce*

403 The comparative effects of paracetamol and indomethacin on renal function in healthy female volunteers: *L. F. Prescott, P. Mattison, D. G. Menzies & L. M. Manson*

413 Lack of effect of lithium on the renal response to DA_1-dopamine receptor stimulation by fenoldopam in normal man: *A. R. J. Girbes, A. J. Smit, S. Meijer & W. D. Reitsma*

417 The pharmacokinetics of doxazosin in patients with hypertension and renal impairment: *R. M. Oliver, J. W. Upward, A. G. Dewhurst, R. Honeywell, A. G. Renwick & D. G. Waller*

423 Plasma protein binding of disopyramide in pregnant and postpartum women, and in neonates and their mothers: *H. Echizen, M. Nakura, T. Saotome, S. Minoura & T. Ishizaki*

431 Effects of a selective thromboxane receptor antagonist (GR32191B) and of glyceryl trinitrate on bleeding time in man: *J. M. Ritter, N. Benjamin, H. S. Doktor, S. E. Barrow, T. G. K. Mant, S. Schey & P. Stewart-Long*

437 Haemodynamic and radionuclide effects of amlodipine in coronary artery disease: *B. Silke, S. P. Verma, A. V. Zezulka, S. Sharma, G. Reynolds, N. C. Jackson, S. Guy & S. H. Taylor*

447 The effect of oral dosing of xamoterol on systolic time intervals in man and xamoterol plasma concentrations in heart failure patients: *M. A. James, M. Papouchado, K. S. Channer, J. V. Jones, H. F. Marlow, W. Bastain, N. P. Barker, J. D. Harry & A. G. Wardleworth*

455 Comparison of once daily atenolol, nitrendipine and their combination in mild to moderate essential hypertension: *D. Maclean, E. T. Mitchell, R. Lewis, N. Irvine, J. S. McLay, J. McEwen, R. R. Coulson, N. D. Slater, T. J. Fitzsimons & D. G. McDevitt*

465 Effect of intermittent administration of omeprazole on serum pepsinogens in duodenal ulcer patients and healthy volunteers: *I. Biemond, L. F. S. J. Crobach, J. B. M. J. Jansen & C. B. H. W. Lamers*

473 Clofibrate raises human 24 h intragastric acidity but does not affect plasma gastrin concentration: *C. J. Gavey, J. T. L. Smith, C. U. Nwokolo & R. E. Pounder*

Short reports

479 The toxicity of amodiaquine and its principal metabolites towards mononuclear leucocytes and granulocyte/monocyte colony forming units: *P. A. Winstanley, J. W. Coleman, J. L. Maggs, A. M. Breckenridge & B. K. Park*

486 Carvedilol increases the systemic bioavailability of oral digoxin: *C. De Mey, E. Brendel & D. Enterling*

491 Comparative effects of ciprofloxacin and lomefloxacin on the oxidative metabolism of theophylline: *R. A. Robson, E. J. Begg, H. C. Atkinson, D. A. Saunders & C. M. Frampton*

Letter to the Editors

495 Failure of a nomogram to achieve target aminoglycoside concentrations: *M. W. Perkins*

Number 5, May 1990

Papers

497 Influence of nicardipine on the pharmacokinetics and pharmacodynamics of propranolol in healthy volunteers: *D. F. Schoors, I. Vercruysse, G. Musch, D. L. Massart & A. G. Dupont*

503 Influence of acetylator status on the haemodynamic effects and pharmacokinetics of cadralazine in healthy subjects: *P. Brunel, J.-B. Lecaillon, T. T. Guyene, P. Imhof & J. Ménard*

511 Relationship between positive inotropic responses and plasma concentrations of xamoterol in middle-aged and elderly patients: *H. F. Marlow, F. L. Hine, H. M. Snow, H. Pouleur & M. F. Rousseau*

519 The effects of flosequinan on submaximal exercise in patients with chronic cardiac failure: *J. S. Elborn, M. Riley, C. F. Stanford & D. P. Nicholls*

525 The abnormal *in vitro* response to aspirin of platelets from aspirin-sensitive asthmatics is inhibited after inhalation of nedocromil sodium but not of sodium cromoglycate: *C. H. Marquette, M. Joseph, A. B. Tonnel, H. Vorng, P. Lasalle, A. Tsicopoulos & A. Capron*

533 Transdermal delivery of theophylline to premature infants using a hydrogel disc system: *R. G. Cartwright, P. H. T. Cartlidge, N. Rutter, C. D. Melia & S. S. Davis*

541 The effect of food and bile acid administration on the relative bioavailability of cyclosporin: *A. Lindholm, S. Henricsson & R. Dahlqvist*

549 Metabolism of ciamexon by human liver microsomes: an investigation into the formation of stable, chemically reactive and cytotoxic metabolites: *M. D. Tingle & B. K. Park*

557 Pharmacokinetics and bioavailability of omeprazole after single and repeated oral administration in healthy subjects: *T. Andersson, K. Andrén, C. Cederberg, P.-O. Lagerström, P. Lundborg & I. Skånberg*

Short reports

565 The pharmacokinetics of midazolam in patients with congestive heart failure: *I. H. Patel, P. P. Soni, E. K. Fukuda, D. F. Smith, C. V. Leier & H. Boudoulas*

570 Lowering of theophylline clearance by isoniazid in slow and rapid acetylators: *Samigun, Mulyono & B. Santoso*

574 A comparative pharmacokinetic study of conventional and chewable carbamazepine in epileptic patients: *P. N. Patsalos*

578 Clinical and pharmacological study of a novel controlled release preparation of salbutamol: *R. Milroy, R. Carter, D. Carlyle & G. Boyd*

Letters to the Editors

581 Lithium does not reduce the natriuretic response to dopamine in man: *D. F. Schoors & A. G. Dupont*

582 Garlic and cardiovascular risk factors: *J. Grünwald*

585 Proceedings of the British Pharmacological Society (Institute of Education, United Medical and Dental Schools of Guy's and St Thomas's Hospitals, London, 3–5 January 1990)

Number 6, June 1990

Papers

651 Furafylline is a potent and selective inhibitor of cytochrome P450IA2 in man: *D. Sesardic, A. R. Boobis, B. P. Murray, S. Murray, J. Segura, R. de la Torre & D. S. Davies*

665 Relationship between mephenytoin oxidation polymorphism and phenytoin, methylphenytoin and phenobarbitone hydroxylation as assessed in a phenotyped panel of healthy subjects: *J. H. M. Schellens, J. H. F. van der Wart & D. D. Breimer*

673 Pharmacokinetic and pharmacodynamic studies of glibenclamide in non-insulin dependent diabetes mellitus: *S. W. Coppack, A. F. Lant, C. S. McIntosh & A. V. Rodgers*

685 β-adrenoceptor blockade and hypoglycaemia. A randomised, double-blind placebo controlled comparison of metoprolol CR, atenolol and propranolol LA in normal subjects: *D. Kerr, I. A. MacDonald, S. R. Heller & R. B. Tattersall*

695 The disposition of amodiaquine in Zambians and Nigerians with malaria: *P. A. Winstanley, O. Simooya, J. M. Kofi-Ekue, O. Walker, L. A. Salako, G. Edwards, M. L'E. Orme & A. M. Breckenridge*

703 Inter- and intrasubject variability of gastric emptying in healthy volunteers measured by scintigraphy and paracetamol absorption: *O. U. Petring & H. Flachs*

709 The pharmacokinetics of recombinant human erythropoietin after intravenous and subcutaneous administration to healthy subjects: *T. Salmonson, B. G. Danielson & B. Wikström*

715 Ketanserin pharmacokinetics in patients with renal failure: *J. N. M. Barendregt, A. Van Peer, J. G. Van Der Hoeven, J. C. Van Oene & Y. I. Tjandra*

725 Comparative effects of dilevalol and atenolol on lung function and airway response to

methacholine in hypertensive subjects: *L.-P. Boulet, Y. Lacourcière, J. Milot & N. Lampron*
733 Cardiovascular responses to upright tilting in hypertensive patients, with and without renal impairment and before and following nisoldipine treatment: *M. M. A. E. Wahbha, J. Wilson & R. Hainsworth*
741 Pharmacodynamic monitoring during acute intervention in ischaemic heart disease using a new echo-Doppler device: *B. Silke, S. P. Verma & S. H. Taylor*
749 Haemodynamic dose-response effects of UK-52,046 in ischaemic disease with or without impaired left ventricular function: *B. Silke, A. V. Zezulka, S. P. Verma, T. C. K. Tham & S. H. Taylor*

Short reports
759 Inhibition of epoxide hydrolase by valproic acid in epileptic patients receiving carbamazepine: *D. K. Robbins, P. J. Wedlund, R. Kuhn, R. J. Baumann, R. H. Levy & S.-L. Chang*
763 The effect of clobazam on steady state plasma concentrations of carbamazepine and its metabolites: *J. J. Muñoz, R. E. De Salamanca, C. Diaz-Obregón & F. L. Timoneda*
766 The pharmacokinetics of enalapril in patients with compensated liver cirrhosis: *T. Baba, S. Murabayashi, T. Tomiyama & K. Takebe*
770 Lack of effect of the specific cholecystokinin receptor antagonist loxiglumide on cholecystokinin clearance from plasma in man: *M. C. W. Jebbink, J. B. M. J. Jansen, A. A. M. Masclee & C. B. H. W. Lamers*
774 The effect of local converting enzyme inhibition on the dilator response to substance P in the human forearm: *N. Benjamin & D. J. Webb*
777 Use of sodium aurothiomalate during lactation: *P. N. Bennett, S. J. Humphries, J. P. Osborne, A. K. Clarke & A. Taylor*
780 Quinine induces reversible high-tone hearing loss: *R. J. Roche, K. Silamut, S. Pukrittayakamee, S. Looareesuwan, P. Molunto, S. Boonamrung & N. J. White*

Letter to the Editors
783 Diseases and drugs but not food decrease ketoconazole 'bioavailability': *T. K. Daneshmend*

785 Author and Subject Indexes to Volume 29